

ST. JOHN AMBULANCE BRIGADE1995 ADVANCE PATIENT CARE COMPETITIONSCENARIO 1TEAM SCENARIO

Your first aid team has been invited to provide first aid services at the Canadian Forces Base Borden. Today, there is a special demonstration being held on the Base by Canadian Forces Precision Jump Team. The jump of particular interest involves a highly delicate and difficult tandem jump using standard military parachutes.

There are family members in the spectator's area as well as approximately 50 Military Personnel in the crowd.

Good luck with the problem. You have 30 minutes.

JUDGING/SIMULATING SCENARIO**This is the scenario given to the team**

Your first aid team has been invited to provide first aid services at the Canadian Forces Base Borden. Today, there is a special demonstration being held on the Base by Canadian Forces Precision Jump Team. The jump of particular interest involves a highly delicate and difficult tandem jump using standard military parachutes.

There are family members in the spectator's area as well as approximately 50 Military Personnel in the crowd.

The team will need to carry their first aid supplies into the scene.

PROPS AND EQUIPMENT FOR PROBLEM

Two parachutes or similar items
Two helmets
Two pair goggles
Two pair gloves
Two pair of boots
Two Jumpsuits or coveralls

One dress uniform military design, suit, or casual dress clothes
Nitro 0.5 mg

Medic alert card stating Asthmatic Condition
Purse or Pocket for ventolin puffer
Atrovent or inhaler with incorrect name on label
Female in dress or skirt

One emergency vehicle

chairs
one bullhorn for announcer
spectators as required to simulate crowd

Standard First Aid supplies

Stifneck collars

Backboards,two and appropriate strapping
Assortment of splints, padded or speedsplints

Blankets
Oral airways (Cathguide Airways)
Flynn kits four (four oxygen set ups)
Suction Unit V-Vac or impact type

Two Parachutists, 24 yr old male, and 35 yr old male
One middle aged male
One middle aged female

INJURIES AND PATIENT INFORMATION**PATIENT NUMBER ONE**

First Lieutenant Dave Smart, wearing coveralls or flight suit, parachute harness, helmet, goggles, gloves and boots.

Excellent health, 24 yrs of age

Laying supine and unconscious still connected to his partner
Obvious deformity in the form of a lump on cervical spine (C-7)
Straw coloured fluid with red spots draining from right ear
Bleeding from the nose and the mouth. Compromising the airway
Four inch laceration to left upper arm region with uncontrolled bleeding
Fractured right ankle
Cyanosis of the lips and ear lobes and finger tips

PATIENT BRIEFING

Parachutist
Unconscious
Non responsive to verbal, or pain stimuli
Laboured breathing

SIMULATION

Deformity in the form of a lump (1 inches) to posterior cervical area (C-7)
Cerebral spinal fluid with blood spots draining from right ear
Bleeding from nose (trickle) and mouth (enough to require suctioning)
4" laceration to left upper arm region, severe bleeding
Fractured right ankle with outer rotation
Cyanosis of the ears, lips and fingertips
Pale, clammy, skin

VITALS

Pulse 128 weak and thready
Respirations 12 weak and regular
Temperature of the skin pale, cool and clammy
Blood Pressure is 90/60

PATIENT NUMBER TWO

Captain Bill Rice, wearing coveralls or flight suit, parachute harness, helmet, goggles, gloves and boots.

Excellent health, 35 yrs of age

Lying on his side conscious, still connected to his partner
No feeling from mid back downward and no feeling in legs. Tingling in arms
with no motor coordination.
Bi-lateral fractures of the Tibia and Fibula, midshaft
Rigidity of the right lower quadrant of the abdomen.
Cyanosis of the lips and ear lobes.
Extreme thirst

PATIENT BRIEFING

Parachutist
Conscious
No feeling from mid back down
Unable to move legs
Complains of tingling in arms and hands
(Patient must be able to tense abdomen to simulate internal injury when palpated)
No motor coordination
Complains of thirst and overwhelming concern for his partner
General Shock

SIMULATION

Bi-lateral mid shaft fractures of the tibia and fibula (simple)
Bruising and reddening of right lower abdomen region
Cyanosis of the lips and earlobes
Pale, clammy skin

VITALS

Pulse is 110 rapid and regular
Respirations are 21, weak and regular
Temperature of the skin is cool, clammy and pale
Blood Pressure is 80/60

PATIENT NUMBER THREE

Major Bob Rice (father), wearing a suit and tie
Patient is sixty three years old with a record of a heart problem for one year. No other medical conditions.
Now sitting on ground. Left arm hanging by his side and right arm clutching mid sternum area.

Myocardial Infarction

Patient is prescribed Nitro 0.6 mg as needed also a medication he cannot remember the name of, but he knows he took it this morning as prescribed.

Patient carries his nitro in front breast pocket.

PATIENT BRIEFING

Spectator (male) father of jumper
Conscious
Chief complaint, severe sub-sternal chest pain radiating into the left arm and jaw regions.
Patient wants care directed to others before himself, therefore he will not be cooperative towards initial intervention.
No allergies

SIMULATION

Pale, clammy skin
0.6 mg Nitro required as a prop (front breast pocket)

VITALS

Pulse 120 rapid and irregular
Respirations of 30 weak and regular
Temperature of skin is cool, clammy and pale
Blood Pressure is 95/70

PATIENT NUMBER FOUR

Mrs. Louise Smart, wearing skirt or dress. Patient is 50 year old female with a history of hypertension and asthma.

Patient is carrying a medic alert wallet card indicating her condition, and has in her purse (or pocket) an atrovent inhaler although the name on the label is not hers.

Patient is sitting bent over extremely short of breath and is also excitable.

If asked her inhaler is the same type as the one presented with the wrong name on it as she borrowed a spare to keep in her purse.

PATIENT BRIEFING

Spectator (female) mother of jumper

Conscious

Chief complaint difficulty in breathing (exhalation)

Excitable and traumatized by incident

Patient states all she wants is to get to her son

Generally fatigued and she can't get up

If asked her inhaler is the same type as the one presented with the wrong name on it as she borrowed a spare to keep on herself (purse or pocket)

Allergy to penicillin

SIMULATION

Hot, dry pink looking skin

Inhaler needed with incorrect name on it

VITALS

Pulse is 110 rapid and regular

Respirations are 30 and laboured

Temperature of the skin is hot, dry and pink

Blood Pressure is 150/110

1995 ADVANCE PATIENT CARE COMPETITIONSCENARIO 1ONE JUDGE TO MARK SCENARIOJudges Notes:

Assist the team when necessary with prompting if patient does not respond appropriately.

Check the patient's position and all the simulation and injuries for accuracy.

() - Information Requested, judges prompt A - Actions Taken S - Statement

IMMEDIATE ACTION (WITHIN FIRST TWO MINUTE)

1. Did First aider assume the role of leader.....	A	10	0
2. Did First aiders (team) call for help.....	A/S	05	0
3. Did team assess for hazards.....	A/S	10	0
4. Did team secure the scene (stop any further jumpers)..	A/S	10	0
5. Did first aider in charge assign each team member a patient to take care of.....	A	10	0
6. Did team members complete a triage.....	A	20	0
7. Did team members report back to Team leader	A	10	0
8. Did team leader call for ambulance (must give concise injuries of all four patients) (If team does not give information on first call, was another call placed to update and give concise injuries of all four patients)	A	20	0
9. Did first aid leader work as leader and delegate.....	A	____/10	
10. Did Member #1 work as a team.....	A	____/10	
11. Did Member #2 work as a team.....	A	____/10	
12. Did Member #3 work as a team.....	A	____/10	
13. Did team place patient #1 into ambulance.....	A	20	0
14. Did team place patient #2 into ambulance.....	A	20	0

1995 ADVANCED PATIENT CARE COMPETITIONSCENARIO 1TWO JUDGES TO MARK PATIENT NUMBER ONEIMMEDIATE ACTION

1. Was one team member assigned to this patient.....	A/S	10	0
2. Did First Aider identify him/herself.....	A/S	05	0
3. Was the patient warned not to move (Hearing last to go)	A/S	10	0
4. Was the patient made accessable to treat.....	A	10	0
5. Did First Aider try to obtain permission to treat (patient is unconscious).....	A/S	10	0
6. Did first aider use protective gloves	A	05	0
7. Did first aider ensure an adequate airway.....	A	10	0
8. Was compromised airway identified.....	A/S	10	0
9. Was head supported to prevent movement.....	A	10	0
10. Was modified jaw thrust used to secure open airway....	A	10	0
11. Was suction used to clear airway.....	A	10	0
12. Was head supported throughout airway assessment.....	A	10	0
13. Was oxygen given.....	A	10	0
14. Was oxygen set up with correct flow rate..... (10 litres for standard mask or 15 litres for non rebreather mask).....	A A	10 10	0 0
15. Did first aiders assess for severe bleeding..... (left upper arm region)	A	10	0
16. Did First aider assess for level of consciousness..... (non responsive to verbal or painful stimuli)	A	10	0
17. Did first aider report to leader (may be leader) the injuries and give concise report for ambulance	A	10	0

SECONDARY ACTION

18.	Did first aider ask bystanders questions to determine history of the situation.....	A/S	10	0
19.	Was patient kept in position found during examination	A	10	0
20.	Was constant monitoring of airway, pulse and respirations maintained (at least three times).....	A	20	0

21. **VITALS** Did first aider perform suitable assessment of the following

Pulse Check (once)(correct to 128, weak and thready)..	A	10	0
Pulse Check (twice)(correct to same).....	A	10	0
Pulse Check (third)(correct to same).....	A	10	0
Respiration Check (once)(correct to 12, weak and regular).....	A	10	0
Respiration Check (twice)(correct to same).....	A	10	0
Respiration Check (third)(correct to same).....	A	10	0
Temperature of Skin Condition (once)(correct to pale cool and clammy).....	A	10	0
Pupils (correct to slightly dilated, equal and reactive).....	A	10	0
Was Blood Pressure taken (once)..... (corrected to 90/60)	A	10	0
Was Blood Pressure taken (twice)(correct to same).....	A	10	0
Was Blood Pressure taken (third)(correct to same).....	A	10	0

22. **SECONDARY ASSESSMENT**

Did first aider perform suitable assessment of the following

Skull (helmet must be removed to complete skull check)	A	10	0
Face (as found).....	A	05	0
Ears (Straw coloured fluid with red spots draining from right ear).....	A	10	0
Ears (cyanosis noted).....	A	05	0
Eyes (Slightly dilated, equal and reactive).....	A	05	0
Nose (bleeding from both nostrils).....	A	10	0
Mouth (bleeding from mouth).....	A	10	0
Mouth (no loose teeth, odour - smells like blood)..... (must state these to receive marks)	A	10	0
Lips (cyanosis noted).....	A	05	0
Jaw (as found, no injury).....	A	05	0
Neck (lump 1 inches on cervical spine).....	A	10	0
Back/Spine (no injury other cervical spine injury)....	A	05	0
Chest (as found, no injuries).....	A	05	0
Abdomen (as found, no injuries).....	A	05	0
Right and left clavicle (as found, no injuries).....	A	05	0
Right arm (does not need to be completed in this order) (as found, no injuries).....	A	05	0
(note, cyanosis to finger tips).....	A	05	0
Left arm (4 inch laceration to upper left arm).....	A	10	0
(note, cyanosis to finger tips).....	A	05	0
Pelvic & hip area (as found, no injuries).....	A	05	0
Right leg (fracture to right ankle).....	A	10	0
Left leg (as found, no injuries).....	A	05	0

TREATMENT**23. Spinal Injury**

Was Helmet removed correctly.....	A	10	0
(should be removed without any movement to head or neck, two first aiders)			
Was correct size of stif neck collar applied.....	A	10	0
(should be placed with minimum movement).....	A	10	0
Was patient placed on spinal board for transport....	A	20	0
Was patient secure on spinal board.....	A	10	0
When patient placed on spinal board, did they use sufficient personnel to prevent movement.....	A	10	0

24. Upper arm injury

Was severe bleeding controlled.....	A	10	0
Was dressing checked at least once during scenario to see if bleeding controlled.....	A	05	0

25. Fractured Right Ankle

Was fracture effectively immobilized.....	A	10	0
(may state that backboard will support, but must provide some type of padding, eg. blanket)			
Was distal circulation checked before immobilization.	A	05	0
Was distal circulation checked after treatment.....	A	05	0

26. General Condition of Patient

Did first aiders look for medical alert, none found.	A/S	05	0
Was patient treated for shock (under with blanket)	A	05	0
Was patient treated for shock (over with blanket....	A	05	0
Was patient reassured at least once (even though unconscious).....	A	05	0

27. Transport of patient to ambulance

Did team use proper body mechanics to transport to ambulance.....	A	10	0
---	---	----	---

28. RECORDING (Team may complete recording after time called if not finished)

Was history of incident recorded.....	A	05	0
Was the time and date incident recorded.....	A	05	0
Was name and address obtained (from bystanders).....	A	05	0
Was pulse check recorded, with time noted (at least three times).....	A	05	0
Was respirations recorded, with time noted (at least three times).....	A	05	0
Was skin conditions recorded.....	A	05	0
Was pupil check recorded.....	A	05	0
Was Blood Pressure recorded (at least three times)..	A	05	0
Was compromised airway noted.....	A	05	0
Was treatment for compromised airway noted.....	A	05	0
Was oxygen administration recorded.....	A	05	0
Was Spinal Injury noted.....	A	05	0
Was Spinal injury treatment noted.....	A	05	0
Was upper arm injury identified.....	A	05	0
Was upper arm treatment noted.....	A	05	0
Was fractured right ankle identified.....	A	05	0
Was fractured right ankle treatment noted.....	A	05	0

1995 ADVANCED PATIENT CARE COMPETITION**SCENARIO 1****TWO JUDGES TO MARK PATIENT NUMBER TWO**

IMMEDIATE ACTION

1. Was one team member assigned to this patient.....	A	10	0
2. Did First Aider identify him/her self.....	A	05	0
3. Did First Aider warn patient not to move.....	A	05	0
4. Was the patient made accessable to treat.....	A	10	0
5. Did First Aider obtain permission to treat.....	A/S	10	0
6. Did First Aider use protective gloves.....	A	05	0
7. Did First Aider ensure an adequate airway..... (adequate)	A	10	0
8. Did First Aider assess for severe bleeding..... (none to be noted)	A	10	0
9. Did first aider assess for level of consciousness..... (person, place and time)	A	10	0
10. Did first aider shout for help.....	A	05	0
11. Did first aider report to leader (may be leader) the injuries and give concise report for ambulance.....	A	10	0

SECONDARY ACTION

12. Did first aider ask patient questions to determine the history of the situation.....	A	10	0
13. Did first aider ask patient where does it hurt..... (I don't know cannot feel my legs, I am thirsty)	A	10	0
14. Was patient kept in position found during examination	A	10	0
15. Was constant monitoring of pulse and respirations maintained (at least three times).....	A	10	0
16. Did first aider determine that patient had no feeling from mid back down.....	A	10	0
17. Did First aider note possible injury to lower legs....	A	10	0
18. Did First aider note possible back or neck injury.....	A	10	0
19. Did First aider note possible internal bleeding.....	A	10	0

20. **VITALS** Did first aider perform suitable assessment of the following

Pulse Check (once) (correct to 110, rapid and regular).....	A	10	0
Pulse Check (twice)(correct to same).....	A	10	0
Pulse Check (third)(correct to 120, rapid and regular).....	A	10	0
Respiration Check (once) (correct to 21, weak and regular).....	A	10	0
Respiration Check (twice)(correct to same).....	A	10	0
Respiration Check (third)(correct to same).....	A	10	0
Temperature of Skin Condition (once)(correct to cool clammy and pale).....	A	10	0
Pupils (correct to equal and reactive).....	A	10	0
Blood Pressure (once) (correct to 80/60).....	A	10	0
Blood Pressure (twice) (correct to same).....	A	10	0
Blood Pressure (third) (correct to same).....	A	10	0

21. **SECONDARY ASSESSMENT**

Did first aider perform suitable assessment of the following

Skull (helmet must be removed to complete skull check)	A	10	0
Face (pale, cyanosis to lips).....	A	10	0
Ears (cyanosis to ear lobes).....	A	10	0
Eyes (equal and reactive to light).....	A	10	0
Nose (as found).....	A	05	0
Mouth (as found, but thirsty).....	A	10	0
Jaw (as found).....	A	05	0
Neck (as found).....	A	05	0
Back/Spine (must complete spinal check) (no feeling in legs, tingling in arms with no motor coordination)	A	10	0
Chest (as found, no injuries).....	A	05	0
Abdomen (Regidity, right lower quadrant).....	A	10	0
Right and left clavicle (as found, no injuries).....	A	05	0
Right and Left arms (tingling to arms only).....	A	05	0
Pelvic and hip area (as found, no injuries).....	A	05	0
Right leg (swelling to mid shaft, to signify fracture)	A	10	0
Left Leg (swelling to mid shaft, to signify fracture)	A	10	0

22. TREATMENT**Spinal Injury**

Was spinal injury identified.....	A	10	0
Was helmet removed correctly..... (Head stabilized with hand traction)	A	10	0
Was correct size of stiff neck collar applied.....	A	10	0
Was patient placed on spinal board correctly..... (Did they use sufficient personnel to prevent further injury)	A	10	0
Was patient secured to spinal board.....	A	10	0

23. Abdominal Injury, possible Internal bleeding

Was possible internal bleeding identified.....	A	10	0
--	---	----	---

Bilateral Lower Leg Fractures

Was lower leg fractures immobilized prior to placement on backboard.....	A	20	0
Was lower leg fractures padded prior to placement on backboard.....	A	10	0
Was distal circulation to both legs checked before treatment.....	A	10	0
Was distal circulation to both legs checked after treatment.....	A	10	0

24. General Condition of Patient

Did first aiders look or ask for medical alert..... (None)	A/S	05	0
Did First Aiders ask about medical condition or medical history (none).....	A/S	05	0
Did First Aiders ask about medication (none).....	A/S	05	0
Did First Aiders ask about allergies (no allergies)...	A/S	05	0
Was patient treated for shock (under with blanket)....	A	05	0
Was patient treated for shock (over with blanket).....	A	05	0
Was patient reassured at least once during scenario...	A	05	0
Was oxygen given.....	A	10	0
Was oxygen set up with correct flow rate..... (10 litres with standard mask and 15 litres, non-rebreather mask)	A	10	0

25. Transport of patient to ambulance

Did team use proper body mechanics to transport into ambulance.....	A	10	0
Was patient #1 and patient #2, placed into ambulance..	A	10	0

26. RECORDING (Team my complete recording after time called if not finished)

Was history of incident recorded.....	A	05	0
Was the time and date of incident recorded.....	A	05	0
Was the name and address recorded.....	A	05	0
Was the pulse check recorded, with time noted (at least three times).....	A	05	0
Was respirations recorded, with time noted (at least three times).....	A	05	0
Was Skin conditions recorded.....	A	05	0
Was pupil check recorded.....	A	05	0
Was Blood Pressure recorded.....	A	05	0
Was suspected Spinal Injury recorded.....	A	05	0
Was Treatment of suspected spinal injury recorded....	A	05	0
Was suspected lower leg fractures recorded.....	A	05	0
Was treatment of suspected lower leg fractures recorded	A	05	0
Was oxygen administration recorded.....	A	05	0

1995 ADVANCED PATIENT CARE COMPETITION**SCENARIO 1****TWO JUDGES TO MARK PATIENT NUMBER THREE**

IMMEDIATE ACTION

1. Was one team member assigned to this patient.....	A	10	0
2. Did First Aider identify him/herself.....	A	05	0
3. Did First aider warn patient not to move.....	A	05	0
4. Did First aider obtain permission to treat.....	A	10	0
5. Did First aider use protective gloves.....	A	05	0
6. Did First aider ensure an adequate airway.....	A	10	0
7. Did First aider assess for severe bleeding..... (no severe bleeding)	A	10	0
8. Did first aider shout for help.....	A	05	0
9. Did first aider report to leader (may be leader) the injuries and give concise report for ambulance.....	A	10	0

SECONDARY ACTION

10.	Did team ask patient questions to determine the history of the situation.....	S	10	0
11.	Did team ask patient where does it hurt..... (my chest, and down my left arm)	S	10	0
12.	Did team ask patient what kind of pain.....	A	05	0
13.	Did team ask patient when did pain start.....	A	05	0
14.	Was patient kept in position found during examination	A	10	0
15.	Was constant monitoring of pulse and respirations maintained (at least three times).....	A	10	0
16.	Was patient questioned about medical conditions..... (Angina for two years)	S	10	0
17.	Was patient asked about Angina (it is a heart condition)	S	10	0
18.	Was patient asked about medication for Angina or heart condition (Nitroglycerine 0.6 mg as required)	S	10	0
19.	Was patient asked if they had their medication with them. (Yes).....	S	10	0
20.	Was patient asked if they had used their medication (No)	S	10	0
21.	Was patient asked if he required his Nitro (Yes)....	S	10	0
22.	Did first aider assist patient to take own medication	A	10	0
23.	Did first aider observe 5 rights when assisting with medication (Five rights - right person, right time right medication, right dose and right route).....	A/S	10	0
24.	Was patient questioned about allergies (nil).....	S	10	0
25.	Did first aider ask the patient if he felt any sensation from the Nitro (ie. tingling, light headedness, flush feeling).....	A	05	0

26. **VITALS** Did team perform suitable assessment of the following

Pulse Check (once) (correct to 120 rapid and irregular	A	10	0
Pulse Check (twice)(correct to 118 rapid and irregular	A	10	0
Pulse Check (third)(correct to 115 rapid and irregular	A	10	0
Respiration Check (once)(correct to 30 weak and regular.....	A	10	0
Respiration Check (twice)(correct to 28 weak and regular.....	A	10	0
Respiration Check (third)(correct to 24 weak and regular.....	A	10	0
Temperature and Skin Condition (once)(correct to cool, clammy and pale.....	A	10	0
Pupils (correct to slightly dilated, equal and reactive).....	A	10	0
Blood Pressure (once) (correct to 95/70).....	A	10	0
Blood Pressure (twice) (correct to same).....	A	10	0
Blood Pressure (third) (correct to same).....	A	10	0

27. **SECONDARY ASSESSMENT**

Did first aider perform suitable assessment of the following

Skull (as found).....	A	05	0
Face (as found, but pale).....	A	05	0
Ears (as found).....	A	05	0
Nose (as found).....	A	05	0
Mouth (as found, no dentures).....	A	05	0
Jaw (sore).....	A	05	0
Neck (as found).....	A	05	0
Back/Spine (as found).....	A	05	0
Chest (no injury, but pain, air entry symmetrical weak and regular).....	A	05	0
Right and Left clavicle (as found).....	A	05	0
Abdomen (as found).....	A	05	0
Right arm (as found).....	A	05	0
Left arm (as found, but sore).....	A	05	0
Pelvic area (as found).....	A	05	0
Right leg (as found).....	A	05	0
Left leg (as found).....	A	05	0

TREATMENTS**28. HEART PROBLEM**

Was Heart Attack, Angina or Heart Condition identified	A/S	10	0
Was patient assisted with medication (first time)...	A/S	10	0
Was patient assessed that medication was not working	A/S	10	0
Was patient assisted with medication (must be 5 min. later, second time).....	A/S	10	0
Was patient assessed that medication was not working	A/S	10	0
Was patient assisted with medication (third time, must be 5 minutes from last time).....	A/S	10	0
Was it noted that the nitro was working but no effect	A/S	10	0
Was it noted that this is an emergency and patient needs medical attention as soon as possible.....	A/S	10	0
Was patient placed in the most comfortable position (semi sitting or position to assist with breathing)	A/S	10	0

29. GENERAL CONDITION OF CASUALTY

Was oxygen administered correctly.....	A	10	0
Was patient reassured re his son (parachutist).....	A/S	10	0
Was patient reassured re his condition (that help will be available as soon as possible).....	A/S	10	0
Was patient treated for Shock (under with blanket)..	A	05	0
Was patient treated for Shock (over with Blanket)...	A	05	0

RECORDING (Team may complete recording after time called if not finished)

30. Was history of incident recorded.....	A	05	0
Was use of oxygen recorded.....	A	05	0
Was the time and date of incident recorded.....	A	05	0
Was name and address recorded.....	A	05	0
Was pulse check recorded, with time noted (at least three times).....	A	05	0
Was respirations recorded, with time noted (at least three times).....	A	05	0
Was Skin conditions recorded.....	A	05	0
Was pupil reaction recorded.....	A	05	0
Was blood pressure recorded.....	A	05	0
Was Chest pain recorded.....	A	05	0
Was medication assisted to patient recorded.....	A	05	0
Was effect of medication recorded.....	A	05	0
Was no allergies recorded.....	A	05	0

1995 ADVANCED PATIENT CARE COMPETITION**SCENARIO 1****TWO JUDGES TO MARK PATIENT NUMBER FOUR**

IMMEDIATE ACTION

1. Was one team member assigned to this patient.....	A	10	0
2. Did First Aider identify him/herself.....	A	05	0
3. Did First aider obtain permission to treat.....	A	10	0
4. Did First Aider warn patient not to move.....	A	05	0
5. Did First aider use protective gloves.....	A	05	0
6. Did First aider ensure an adequate airway..... (adequate)	A	10	0
7. Did First aider give emotional support..... (Ask patient to relax and remain calm)	A	10	0
8. Did first aider assess quality of breathing.....	A	10	0
9. Did first aider shout for help.....	A	10	0
10. Did first aider report to leader (may be leader) the need for medical (ambulance) assistance.....	A	10	0
11. Did First aider assess for severe bleeding (none)....	A	05	0

SECONDARY ACTION

12.	Did first aider ask patient questions to determine the history of the situation.....	S	10	0
13.	Did First aider ask if she had any medical conditions (Asthma)	S	10	0
14.	Did patient asked if they had any allergies..... (Penicillin)	S	10	0
15.	Was patient asked if she had her medication with her.	S	10	0
16.	Was patient assisted with her inhaler.....	A	10	0
17.	Was patient asked the five rights before medication given (right person, right time, right dose, right route, right medication).....	A/S	10	0
18.	Did first aider note the inhaler was not the patients (The patient borrowed a friends inhaler)	A/S	20	0
19.	Was patient asked if the medication is the same.....	A/S	10	0
20.	Did the first aider decide to use the inhaler.....	A/S	10	0
21.	Was patient asked if the medication relieved the breathing problem.....	A/S	10	0
22.	Was patient reassured.....	A	10	0

VITALS Did team perform suitable assessment of the following

23. Pulse check (once) (correct to 110 rapid and regular)	A	10	0
Pulse check (twice) (correct to 110 rapid and regular)	A	10	0
Pulse check (third) (correct to 108 rapid and regular)	A	10	0
Respiration Check (once) (correct to 30 and laboured)	A	10	0
Respiration Check (twice) (correct to 30 and laboured)	A	10	0
Respiration Check (third)(correct to 26 and laboured)	A	10	0
Temperature of skin (hot, dry and pink).....	A	10	0
Pupils (as found).....	A	10	0
Blood Pressure (correct to 150/110).....	A	10	0
Blood Pressure (correct to 150/100).....	A	10	0
Blood Pressure (correct to 150/100).....	A	10	0

24. SECONDARY ASSESSMENT

Did first aider perform suitable assessment of the following

Skull (as found).....	A	05	0
Face (as found, but hot, dry and pink).....	A	05	0
Ears (as found).....	A	05	0
Eyes (as found).....	A	05	0
Nose (as found).....	A	05	0
Mouth (as found).....	A	05	0
Jaw (as found).....	A	05	0
Neck (as found).....	A	05	0
Back/Spine (as found).....	A	05	0
Chest (no injury, but laboured respirations).....	A	05	0
Right and Left clavical (as found).....	A	05	0
Abdomen (as found).....	A	05	0
Right and Left arm (as found).....	A	05	0
Pelvic area (as found).....	A	05	0
Right and left leg (as found).....	A	05	0

RECORDING (Team may complete recording after time called if not finished)

27. Was history of incident recorded.....	A	05	0
27. Was the time and date of incident recorded.....	A	05	0
Was name and address recorded.....	A	05	0
Was pulse check recorded, with time noted (at least three times).....	A	05	0
Was respirations recorded, with time noted (at least three times).....	A	05	0
Was Skin/temerature condition recorded.....	A	05	0
Was pupil reaction recorded.....	A	05	0
Was blood pressure recorded.....	A	05	0
Was Asthma condition recorded.....	A	05	0
Was medication assisted to patient recorded.....	A	05	0
Was oxygen administration recorded.....	A	05	0
Was allergy of penicillin recorded.....	A	05	0