


**INDIVIDUAL  
SCENERIO  
1994  
BRIEFING  
PACKAGE**

**1994 INDIVIDUAL SCENERIO****SCENERIO**

You stop at a local Milk Store for refreshments. As you enter the parking lot a pickup truck speeds out. On entering the store, you hear a noise at the rear of the store and find the clerk lying on the floor. No one else is in the store.



**CASUALTY SYNOPSIS**

CLERK        -Gunshot Wound to the right chest(sucking chest wound)with matching exit wound on the back  
             -Left Forehead laceration with bruising on left cheek  
             -Broken and deformed right wrist.

**Casualty Layout**


- casualty lying on back with left arm over his/her right chest


Casualty Vitals-pulse-100 weak and rapid  
                  -respirations-32 shallow and rapid  
                  -eyes-unequal and unreactive  
                  -skin- pale,cool,clammy

**CASUALTY SIMULATION REQUIREMENTS**


-rubber tubing for sucking chest wound

-gunshot entrance wound is a neat puncture 1/2 inch diameter(1 cm), fitted with tubing for a sucking chest wound  
-2 inches (5 cm) below right nipple  
-exit wound on back is a ragged one inch diameter(2 cm) crater exit wound ,lots of blood,no bubbles  
-cut on left forehead just above and parallel to left eyebrow is one inch (2 cm) long, with reddening around the wound as well as reddening and slight bruising of left cheek bone  
-Right wrist to be held at approx. 90 degrees with a deformity built up at the wrist joint.Some bruising









# 24<sup>th</sup> ANNUAL ONTARIO OPEN First Aid Competition

## INDIVIDUAL INFORMATION

Please print the following information:

NAME \_\_\_\_\_  
 Floor Position (Square Number) \_\_\_\_\_  
 Judge #1 \_\_\_\_\_ Judge #2 \_\_\_\_\_  
 Time Start \_\_\_\_\_ Immediate Actions Total \_\_\_\_\_ /150  
 Time Finish \_\_\_\_\_ Secondary Actions Total \_\_\_\_\_ /450  
 Total Time \_\_\_\_\_ Total Marks Awarded \_\_\_\_\_ /600

IMMEDIATE ACTIONS: FOR POINTS TO BE AWARDED HERE, THESE ACTIONS MUST BE PERFORMED PRIOR TO ANY SECONDARY ACTIONS.		A/S	P O I N T S	N O T D O N E
ONCE THE SECONDARY ACTIONS HAVE BEEN STARTED, NO FURTHER POINTS ARE TO BE AWARDED FROM HERE.				
<i>These immediate actions may be done in any order.</i>				
1.	Were hazards assessed? <i>(no gun, no hazards)</i>	S	20	0
2.	Did First Aider ID self?	S	20	0
3.	Was casualty warned not to move?	S	20	0
4.	Did First Aider call for by-standers? <i>(IF YES, READILY AVAILABLE TO CALL EMS ONLY)</i>	S	10	0
5.	Did First Aider assess airway?	S/A	10	0
6.	Did First Aider assess bleeding to the right chest?	S/A	10	0
7.	Did First Aider control bleeding from the upper back? <i>(by hand or by a dressing)</i>	A	10	0
8.	Was the First Aider wearing protective gloves?	A	10	0
9.	Did First Aider assess for conscious & anxious, but oriented?	A	20	0
10.	Was EMS activated? <i>(911 or ambulance, etc.)</i>	S	10	0
11.	Were Police identified to protect the scene?	S	10	0
IMMEDIATE ACTIONS-TOTAL POINTS AWARDED ( Pos.150)				

<b>SECONDARY ACTIONS:</b>		A/S	P O I N T S	NOT DONE
ONCE MARKING HAS STARTED HERE, NO FURTHER MARKS MAY BE AWARDED IN THE "IMMEDIATE ACTIONS" AREA. <i>These secondary actions may be done in any order</i>				
1.	Were vital signs assessed?      Temperature ( <i>palpation OK</i> ) <i>temp = cold &amp; clammy</i> Pulse( <i>carotid or radial</i> ) <i>pulse = 100 &amp; weak</i> Respirations <i>resps = 32 &amp; shallow (min 15 sec assessment for each)</i>	A A A	20 20 20	0 0 0
2.	Was a head-to-toe secondary examination done?	A	10	0
3.	Was a pulse( <i>carotid or radial</i> )taken? ( <i>min 15 sec-corrected to 90/min and weak</i> )	A	10	0
4.	Were respirations taken? ( <i>min 15 sec-corrected to 20/min ,shallow and noisy</i> )	A	10	0
5.	Was back(spine) examined? ( <i>severe bleeding and pain in upper back</i> )	A	20	0
6.	Was chest examined? ( <i>air entry laboured, frothy blood from wound on right chest</i> )	A	10	0
7.	Was sucking chest wound suspected?( <i>gun shot wound</i> )	S	10	0
8.	Was injury from gun shot suspected?	S	10	0
9.	Was sucking chest wound effectively treated? ( <i>3 side plastic &amp; tape</i> )	A	20	0
10.	Was exit wound on upper back effectively treated? ( <i>3 side plastic &amp; tape</i> )	A	30	0
11.	Was patient turned to injured side?	A	10	0
12.	Was patient asked where they hurt? ( <i>severe pain in right chest, pain on left forehead, left cheek and right wrist</i> )	S	10	0
13.	Was fracture of the right wrist suspected?	S	10	0
14.	Was the right wrist effectively immobilized? ( <i>Some examples include:long splints,short splints</i> )	A	10	0
15.	Was the right arm effectively immobilized?	A	10	0
16.	Was the right arm effectively supported?	A	10	0
17.	Were bandages assessed for tightness( <i>Radial Pulse,Capillary Refill</i> )	A	10	0
18.	<b>GENERAL</b> Was pulse reassessed? ( <i>min 15 sec-corrected to 100/min</i> )	A	10	0
19.	Was the casualty reassured once?	S	10	0
20.	Was the casualty reassured more than once?	S	10	0
21.	Was the casualty covered for warmth?( <i>Over</i> )	A	10	0
22.	Was the casualty covered for warmth?( <i>Under</i> )	A	10	0

23.	Was patient questioned re: medical history? <i>(no significant history)</i>	S	10	0
24.	Was patient questioned re: allergies? <i>(none)</i>	S	10	0
25.	Was patient questioned re: medications? <i>(none)</i>	S	10	0
26.	<b>RECORDS KEEPING</b> Was the injury to the Sucking Chest Wound Recorded	A	10	0
27.	Was the Treatment to the Sucking Chest Wound recorded	A	10	0
28.	Was the right wrist fracture recorded	A	10	0
29.	Was the exit wound recorded	A	10	0
30.	Was the treatment to the exit wound recorded	A	10	0
31.	Was the treatment for a head injury recorded	A	10	0
32.	Was the application of C-Collar recorded	A	10	0
33.	Were Vital signs recorded at least once	A	10	0
34.	Were Vitals recorded more than once	A	10	0
35.	Were the casualty's particulars recorded(name,address)	A	10	0
36.	Was the LOC recorded?	A	10	0
<b>SECONDARY ACTIONS-TOTAL POINTS AWARDED</b>				
			(Pos.450)	