

25th ANNUAL ONTARIO OPEN First Aid Competition

DETACH PAGE AND GIVE TO TEAM WHEN DIRECTED TO DO SO

TEAM SCENARIO

In recognition of 25 years of St. John Ambulance First Aid Competitions, the local community is sponsoring a fireworks display outside of the hotel. Although it is cold and dark outside at this time of night (8:00 p.m.), the mood is festive among the spectators that are enjoying the display.

A sky-rocket (aerial fireworks) is launched and it fails to explode in the air. It lands amid a group of spectators that are seated on a grassy hill and then detonates on impact.

People panic and attempt to flee in the dark. The people end up falling and rolling 25 feet down a sloping hill.

Good luck! You have 15 minutes to complete the scenario.


N.B.

There will be an announcement of times after the first 5 minutes and again at the final 2 minutes.

25th ANNUAL ONTARIO OPEN First Aid Competition

CASUALTY POSITIONING

TEAM SCENARIO



25th ANNUAL ONTARIO OPEN

First Aid Competition

JUDGE'S COPY OF SCENARIO

TEAM SCENARIO

In recognition of 25 years of St. John Ambulance First Aid Competitions, the local community is sponsoring a fireworks display outside of the hotel. Although it is cold and dark outside at this time of night (8:00 p.m.), the mood is festive among the spectators that are enjoying the display.

A sky-rocket (aerial fireworks) is launched and it fails to explode in the air. It lands amid a group of spectators that are seated on a grassy hill and then detonates on impact.

People panic and attempt to flee in the dark. The people end up falling and rolling 25 feet down a sloping hill.

Good luck! You have 15 minutes to complete the scenario.

N.B.

There will be an announcement of times after the first 5 minutes and again at the final 2 minutes.

INJURIES

- 2nd degree burns to the anterior exposed areas (face, neck, and hands).
- 3rd degree burns mixed in to small areas of each cheek.
- suspected head/spinal injury from roll down the hill.
- lateral laceration-severe bleeding on forehead (pupil-to-pupil in length).
- shortness of breath (uses Ventolin for asthma).
- open lower-leg fracture mid-way between ankle and knee on front of right leg.
- no other injuries other than to mess up the casualty from the roll down the hill.

CASUALTY PROMPTS

- groggy and conscious.
- short of breath (gasps) until First Aider assists with medication.
- usual pain from laceration on forehead and from burns.
- tingling in legs.

PROPS

- casualty carries a Ventolin puffer.
- during scenario, audio of fireworks display and projected slides of fireworks.

25th ANNUAL ONTARIO OPEN

First Aid Competition

Team Information

Please print the following information:

TEAM NAME	_____
TEAM CAPTAIN 'S NAME	_____
JUDGE #1 NAME	_____
JUDGE #2 NAME	_____
FLOOR POSITION (SQUARE #)	_____
PRIMARY SURVEY TOTAL	_____ /220
SECONDARY SURVEY TOTAL	_____ /490
TOTAL MARKS AWARDED	_____ /710

25th ANNUAL ONTARIO OPEN First Aid Competition

PRIMARY SURVEY: This section is active for the first 5 minutes of the scenario only. During these first 5 minutes, the competitor may perform actions that are listed both here <u>and</u> in the Secondary Survey . After the 5 minutes, the competitor is eligible to receive marks only in the Secondary Survey . Marks may no longer be awarded in this Primary Survey .		A/S	P O I N T S	N O T D O N E
<i>Actions in this section may be done in any order.</i>				
1.	Were hazards assessed? <i>(none)</i>	S	20	0
2.	Did First Aider(s) I.D. themselves?	S	20	0
3.	Was casualty warned not to move?	S	20	0
4.	Did First Aider put on protective gloves? <i>(vinyl, latex, playtex, etc.)</i> <i>(must actually be worn to receive marks.)</i>	A	20	0
5.	Did First Aider(s) call out for help from by-standers? <i>(If yes, readily available- to call EMS only.)</i>	S	20	0
6.	Did First Aider(s) support casualty's head?	A	20	0
7.	Did First Aider(s) assess responsiveness? <i>(shake & shout; verbal communication; or other)</i> <i>(casualty is "groggy")</i>	A/S	20	0
8.	Did First Aider(s) assess airway and breathing? <i>(Look, listen, and feel; or ask if breathing is OK)</i> <i>(casualty has difficulty breathing)</i>	A/S	20	0
9.	Did First-Aider(s) control bleeding from forehead laceration? <i>(by hand or by a dressing)</i> <i>(severe bleeding from laceration)</i>	A	20	0
10.	Did First Aider(s) assess tightness of forehead bandage?	A	20	0
11.	Did First-Aider(s) activate EMS? <i>(911; Fire, Ambulance, etc.)</i>	A/S	20	0
PRIMARY SURVEY - TOTAL POINTS AWARDED (POSSIBLE 220)			<div style="border: 1px solid black; width: 100px; height: 30px; margin: 0 auto;"></div>	

SECONDARY SURVEY: This section may be entered by the team for the first 5 minutes of the scenario as well as the Primary Survey . After the 5 minutes, this is the only section that points may be awarded to. <i>(Actions in this section may be done in any order.)</i>		A/S	P O I N T S	N O T D O N E
1.	HISTORY Did First Aider(s) obtain the history from the casualty? <i>(Ask what happened; ask where it hurts; etc.)</i>	S	20	0
2.	WERE VITAL SIGNS ASSESSED? <ul style="list-style-type: none"> • Temperature <i>(OK by palpation.)</i> <i>(correct to cold and clammy.)</i> • Pulse <i>(carotid or radial OK.)</i> <i>(correct to 100 and weak.)</i> • Respirations <i>(correct to 26 and shallow.)</i> 	A A A	20 20 20	0 0 0
3.0	DIFFICULTY BREATHING			
3.1	Was casualty asked if on any medication?	A	20	0
3.2	Was casualty assisted with taking their medication?	A	10	0
3.3	Was casualty asked how they felt after taking their medication? <i>(breathing improves if given medication.)</i> <i>(correct to 22 if assessed.)</i>	A	10	0
4.0	HEAD-TO-TOE ASSESSMENT			
4.1	check head	A	10	0
4.2	check neck	A	10	0
4.3	check collarbone	A	10	0
4.4	check shoulders	A	10	0
4.5	check neck	A	10	0
4.6	check arms/hands	A	10	0
4.7	check chest	A	10	0
4.8	check abdomen	A	10	0
4.9	check back	A	10	0
4.10	check pelvis	A	10	0
4.11	check legs	A	10	0
4.12	check feet	A	10	0
5.0	SUSPECTED HEAD AND SPINAL INJURY			
5.1	Was a "C-collar" applied effectively? <i>(improvised or professional collar.)</i>	A	10	0

5.2	Was breathing checked after collar was applied? <i>(Asking casualty if they can still breathe, is OK.)</i>	A	10	0
5.3	Was the casualty's head supported the entire time the collar was being applied?	A	20	0
6.0	BURNS			
6.1	Was the facial burn cooled with water? <i>(Allow the team only to simulate this action-but team must have water.)</i>	A	10	0
6.2	Was the burn on left hand cooled with water? <i>(Allow the team only to simulate this action-but team must have water.)</i>	A	10	0
6.3	Was the burn on right hand cooled with water? <i>(Allow the team only to simulate this action-but team must have water.)</i>	A	10	0
6.4	Was the facial burn covered with loose and clean/sterile material?	A	10	0
6.5	Was the burn on left hand covered with loose and clean/sterile material?	A	10	0
6.6	Was the burn on right hand covered with loose and clean/sterile material?	A	10	0
7.0	OPEN LOWER LEG FRACTURE			
7.1	Was circulation below the fracture assessed?	A	10	0
7.2	Was a dressing applied over the open wound?	A	10	0
7.3	Was a ring pad applied over the open fracture to control bleeding? <i>(Ring pad or effective equivalent.)</i>	A	10	0
7.4	Was bandage holding ring pad checked for tightness?	A	10	0
7.5	Was "gentle" traction applied during splinting?	A	10	0
7.6	Was the leg effectively immobilized? <i>(Any effective method is OK: Speed splint; board, etc.)</i>	A	10	0
7.7	Were bandages used to immobilize the leg checked for tightness?	A	10	0
7.8	Was cold applied to the injured limb?	A	10	0
8.0	SHOCK AND GENERAL			
8.1	Was casualty covered "over" to lessen shock?	A	10	0
8.2	Was casualty covered "under" to lessen shock?	A	10	0
8.3	Was casualty reassured?	A	10	0
8.4	Was casualty reassured more than once?	A	10	0
8.5	Was casualty's temperature reassessed? <i>(correct to cold and clammy.)</i>	A	10	0
8.6	Was casualty's pulse reassessed? <i>(correct to 90 and weak.)</i>	A	10	0
8.7	Was casualty' respirations reassessed? <i>(correct to 20 and shallow.)</i>	A	10	0
9.0	RECORDING			
9.1	Was the patient information section completed?	A	5	0
9.2	Was the First Aider information section completed?	A	5	0
9.3	Were initial vital signs recorded?	A	5	0

9.4	Were reassessed vital signs recorded?	A	5	0
9.5	Was forehead laceration recorded?	A	5	0
9.6	Was forehead laceration treatment recorded?	A	5	0
9.7	Was suspected head/spinal injury recorded?	A	5	0
9.8	Was suspected head/spinal injury treatment recorded?	A	5	0
9.9	Was facial burn recorded?	A	5	0
9.10	Was facial burn treatment recorded?	A	5	0
9.11	Was burn to left hand recorded?	A	5	0
9.12	Was burn to left hand treatment recorded?	A	5	0
9.13	Was burn to right hand recorded?	A	5	0
9.14	Was burn to right hand treatment recorded?	A	5	0
9.15	Was asthma recorded (difficulty breathing)?	A	5	0
9.16	Was asthma treatment recorded?	A	5	0
9.17	Was patient's improved state recorded?	A	5	0
9.18	Was open fracture to right leg recorded?	A	5	0
9.19	Was open fracture to right leg treatment recorded?	A	5	0
9.20	Was history of accident recorded?	A	5	0
SECONDARY SURVEY - TOTAL POINTS AWARDED (POSSIBLE 490)				