

**1999**

**29th ANNUAL ONTARIO OPEN  
First Aid Competition**

**Detach this page, and give it to the Competitor when directed to do so.**

**INDIVIDUAL SCENARIO**

You are at a New Year's Eve Party which is marking the end of the Century and a celebration bringing in the Year 2000. You hear a commotion a few feet from the dance floor and find a individual laying partially under a chair, and very agitated.

Good luck!! You have 15 minutes to complete the scenario.

Note: There will be an announcement of times after the first 5 minutes, and again at the final 2 minutes.

**1999**

# **29th ANNUAL ONTARIO OPEN**

## **First Aid Competition**

### **Judge's copy of scenario.**

*(Note: You are not a by-stander that is available to assist.)*

### **INDIVIDUAL SCENARIO**

You are at a New Year's Eve Party which is marking the end of the Century and a celebration bringing in the Year 2000. You hear a commotion a few feet from the dance floor and find a individual laying partially under a chair, and very agitated.

Good luck!! You have 15 minutes to complete the scenario.

Note: There will be an announcement of times after the first 5 minutes, and again at the final 2 minutes.

### **INJURIES**

- Individual has fallen off a chair and broken their collar bone (right side)
- Individual was holding a glass, which has broken and is imbedded in right hand
- Individual is high on illegal drugs and has been drinking alcohol
- Fracture to right patella during fall and can not straighten it
- Track marks on right arm

### **CASUALTY PROMPTS(MALES ONLY)**

- Disoriented and very aggressive.
- Responds to verbal commands when asked, but very aggressive, restless and agitated.
- Right knee hurts and can not straighten
- Admits to alcohol assumption "a couple of drinks"

### **PROPS**

- White Tyvec coveralls.
- Baggie found under casualty with what appears to be crack/rock cocaine inside.
- Spritz with nonalcoholic beer

**1999**

**29th ANNUAL ONTARIO OPEN  
First Aid Competition**

**Casualty Positioning.**

**INDIVIDUAL SCENARIO**



1999

**29th ANNUAL ONTARIO OPEN  
First Aid Competition**

**INDIVIDUAL SCENARIO**

TEAM'S NAME

CAPTAIN'S NAME

JUDGE #1 NAME

JUDGE #2 NAME

FLOOR POSITION (SQUARE #)

PRIMARY SURVEY POINTS                      **TOTAL**      (300)

SECONDARY SURVEY      PAGE 1, **Sub-Total**      (210)

SECONDARY SURVEY      PAGE 2, **Sub-Total**      (230)

SECONDARY SURVEY      PAGE 3, **Sub-Total**      (240)

SECONDARY SURVEY POINTS **TOTAL**                      (680)

<p><b>Total Points Awarded</b> Primary + Secondary Total (Possible 980)</p>	
-------------------------------------------------------------------------------------	--

**1999**  
**29th ANNUAL ONTARIO OPEN**  
**First Aid Competition**

**INDIVIDUAL SCENARIO**

<b>Scene/Primary Survey:</b> This section will be active for the first 5 minutes of the scenario only. During these 5 minutes, the competitor may perform actions that are both listed here, and in the Secondary Survey. After the 5 minutes, the competitor is eligible to receive marks only in the Secondary Survey - marks may no longer be awarded here in the Primary Survey after that time.		A/S	P O I N T S	N O T D O N E
<i>Actions in this section may be done in any order.</i>		A = Action S = Statement		
1.	Did the First Aider take charge of the situation? <i>(Tell the casualty not to move.)</i>	S	20	0
2.	Did the First Aider call out for help from bystanders? <i>(As needed, but cannot physically help.)</i>	S	20	0
3.	Did the First Aider check for or ask about hazards? <i>(none)</i>	A/S	20	0
4.	Did the First Aider put on protective gloves? <i>(Latex, Playtex, Vinyl, Nitrile, etc.)-must be worn.</i>	A	20	0
5.	Did the First Aider ask about other casualties? <i>(none)</i>	S	20	0
6.	Did the First Aider ID him/herself and offer to help?	S	20	0
7.	Did the First Aider control head and "C-spine"?	A	20	0
8.	Did the First Aider assess responsiveness? <i>(Casualty is conscious but agitated.)</i>	A/S	20	0
9.	Did First Aider request or make a 911 call to request emergency service. <i>(Anything equivalent to a 911 call.)</i>	S	20	0
10.	Did the First Aider assess how the casualty was breathing? <i>(slow, shallow)</i>	A/S	20	0
11.	Did the First Aider perform a rapid body survey?	A	20	0
12.	Did the First Aider check casualty for dilated pupils? <i>(correct to dilated and fixed pupils)</i>	A	20	0
13.	Did the First Aider find embedded glass in right hand?	A	20	0
14.	Did the First Aider control bleeding from the right hand?	A	20	0
15.	Did the First Aider assess the casualty's skin condition or temperature? <i>(flushed)</i>	A	20	0
<b>Primary Survey - Total points awarded.</b> <small>(Possible 300)</small>				

<b>Secondary Survey:</b> Actions in this section may be performed by the competitor in the first 5 minutes of the scenario, as well as in the Primary Survey. After the first 5 minutes, this is the only section that points shall be awarded to.		A/S	P O I N T S	N O T D O N E
<i>Actions in this section may be done in any order.</i>		A = Action S = Statement		
<b>1.0</b>	<b>History of the casualty.</b>			
1.1	Did the First Aider ask about any symptoms? <i>(Where does it hurt-generally or injury specific.)</i>	S	10	0
1.2	Did the First Aider ask about allergies? <i>(none)</i>	S	10	0
1.3	Did the First Aider ask the casualty if they had taken any medications in the last 24 hours? <i>(casualty says NO)</i>	S	10	0
1.4	Did the First Aider ask about any medical history? <i>(none)</i>	S	10	0
1.5	Did the First Aider ask the casualty when they ate their last meal? <i>(dinner - 6pm.)</i>	S	10	0
1.6	Did the First Aider ask what happened? <i>("I don't know...".)</i>	S	10	0
<b>2.0</b>	<b>Vital Signs Assessment-first set.</b>			
2.1	Level of consciousness. <i>("Aggressive", responds to verbal commands.)</i>	S	10	0
2.2	Respiration. <i>(slow, shallow - 10)</i>	A	10	0
2.3	Pulse - radial or carotid. <i>(rapid -130)</i>	A	10	0
2.4	Skin condition and temperature. <i>(Flushed )</i>	A	10	0
<b>3.0</b>	<b>Head to Toe Assessment.</b>			
3.1	Checks the head? <i>(Face, scalp, eyes-dilated, mouth, ears, nose, etc. - any 4 or more for marks - no fluids from orifices.)</i>	A	10	0
3.2	Checks the neck?	A	10	0
3.3	Checks the collarbones?	A	10	0
3.4	Checks the shoulders?	A	10	0
3.5	Checks the arms and hands?	A	10	0
3.6	Checks the chest?	A	10	0
3.7	Checks the abdomen?	A	10	0
3.8	Checks the pelvis and/or buttocks?	A	10	0
3.9	Checks the back?	A	10	0
3.10	Checks the legs and ankles?	A	10	0
3.11	Checks the feet?	A	10	0
<b>Secondary Survey - Page 1 Sub Total.</b> (Possible 210)				

<b>4.0</b>	<b>Drug Use</b>			
4.1	Did the First Aider find the illegal drugs? <i>(baggie found with what appears to be crack/rock cocaine inside, track marks on arms)</i>	A	10	0
4.2	Did the First Aider ask if casualty had any drugs or alcohol? <i>(admits to alcohol assumption- "couple of drinks")</i>	A	10	0
4.3	Did the First Aider smell alcohol on casualty?	A	10	0
4.4	Did the First Aider continually monitor the casualty's vital signs? <i>(2 or more times)</i>	A	10	0
4.5	Did First Aider secure suspected illegal drugs?	A	10	0
4.6	Did First Aider request Police after suspected drug usage and illegal drugs located?	A	10	0
<b>5.0</b>	<b>Laceration to right Hand</b>			
5.1	Did the First Aider effectively control the bleeding to right hand with a dressing?	A	10	0
5.2	Did the First Aider exercise caution as to not apply excessive pressure in this region? <i>(dress to cover imbedded glass)</i>	A/S	10	0
5.3	Did the First Aider effectively secure the dressing?	A	10	0
<b>6.0</b>	<b>Closed Collar Bone Injury.</b>			
6.1	Did the First Aider expose and identify the injury?	A	10	0
6.2	Did the First Aider check distal circulation prior to any form of treatment and movement?	A	10	0
6.3	Did the First Aider steady and support the injured shoulder?	A	10	0
6.4	Did the First Aider check distal circulation after the treatment and movement?	A	10	0
<b>7.0</b>	<b>Fractured Right Patella</b>			
7.1	Did the First Aider expose and identify the injury?	A	10	0
7.2	Did the First Aider check distal circulation prior to any form of treatment and movement?	A	10	0
7.3	Did the First Aider immobilize knee in position found?	A/S	10	0
7.4	Was the treatment effective?	A	10	0
7.5	Did the First Aider check distal circulation after the treatment?	A	10	0
<b>8.0</b>	<b>Shock and General.</b>			
8.1	Was the casualty covered over, to lessen shock?	A	10	0
8.2	Was the casualty reassured?	S	10	0
8.3	Was the casualty reassured more than once?	S	10	0
8.4	Were gloves worn for the duration of the scenario?	S	10	0
8.5	Were the gloves effective throughout the scenario? <i>(If gloves were torn or split, were they replaced?)</i>	A	10	0
<b>Secondary Survey - Page 2 Sub Total.</b> <small>(Possible 230)</small>				

<b>9.0</b>	<b>Vital sign assessment - 2<sup>nd</sup> set.</b>			
------------	----------------------------------------------------	--	--	--

9.1	Level of consciousness. ( <i>“Disoriented”, responds to verbal commands.</i> )	A	10	0
9.2	Respiration. ( <i>slow, shallow - 10</i> )	A	10	0
9.3	Pulse - radial or carotid. ( <i>rapid and irregular - 130</i> )	A	10	0
9.4	Skin condition and temperature. ( <i>flushed</i> )	A	10	0
<b>10.0</b>	<b>Vital sign assessment - 3<sup>rd</sup> set.</b>			
10.1	Level of consciousness. ( <i>“Disoriented”, responds to verbal commands.</i> )	A	10	0
10.2	Respiration. ( <i>slow, shallow - 10</i> )	A	10	0
10.3	Pulse - radial or carotid. ( <i>rapid and irregular - 130</i> )	A	10	0
10.4	Skin condition and temperature. ( <i>flushed</i> )	A	10	0
<b>11.0</b>	<b>Recording.</b>			
11.1	Time and date recorded?	written	10	0
11.2	Patient information recorded?	written	10	0
11.3	First Aiders information recorded?	written	10	0
11.4	Was level of consciousness recorded?	written	10	0
11.5	Were initial respirations recorded ( <i>must be with time</i> )	written	10	0
11.6	Was initial pulse recorded ( <i>must be with time</i> )	written	10	0
11.7	Was initial skin temperature recorded ( <i>must be with time</i> )	written	10	0
11.8	Was incident history recorded?	written	10	0
11.9	Was broken collar bone injury recorded?	written	10	0
11.10	Was broken collar bone treatment recorded?	written	10	0
11.11	Was hand lacerations recorded?	written	10	0
11.12	Was hand laceration treatment recorded?	written	10	0
11.13	Was knee injury recorded?	written	10	0
11.14	Was knee injury treatment recorded?	written	10	0
11.15	Was suspected drug usage recorded?	written	10	0
11.16	Was alcohol usage recorded?	written	10	0
<b>Secondary Survey - Page 3 Sub Total.</b> (Possible 240)				